




REBEL

S A F E T Y G E A R



AFRICA'S HARDEST WORKING BOOTS

REBEL Safety Gear is an independently owned manufacturer and wholesaler of personal protective equipment. We're proudly South African.

Founded in 2004, REBEL revolutionised the safety footwear industry in South Africa with the introduction of the CHUKKA – A competitively priced traditional safety boot with quality, comfort and style to compliment an extensive range of built-in safety features.

Today the trusted REBEL range still features the iconic CHUKKA and more than forty traditional, premium, specialised and ladies specific boots and shoes designed for maximum protection in the most extreme environments. REBEL boots and shoes incorporate the most innovative international safety features and technology that comply with local and international quality standards, whilst offering unrivalled quality, comfort and durability.

REBEL footwear and protective gear is sold through our trusted network of distributors ensuring Africa's toughest boots and shoes are available to workers in a diverse range of industries throughout the continent.



PG1-6

EXPLORE REBEL

The REBEL guarantee.....	1
REBEL technology in every pair.....	2
Technical information.....	3
- Technical classifications.....	3
- Size classifications.....	3
- Care guidelines.....	4
- REBEL safety icons.....	4
Production facility.....	6

PG9-20

TRADITIONAL



Explore our 13 work boots and shoes designed for safety, quality, style and comfort.

PG21-22

REBELLION



We're taking a giant step forward to MAXIMISE safety, style and performance with the launch of the NEW Grey Wolf safety shoe.

PG23-38

PREMIUM



Explore our 18 premium work boots and shoes designed for maximum safety with refined style and safety features.

PG39-52

SPECIALISED



Explore our 10 specialised work boots and shoes designed for maximum protection in the most extreme environments.

PG53-62

LADIES



Explore our 6 ladies specific work boots and shoes designed to be safe, comfortable and stylish.

PG63

ACCESSORIES



A range of quality REBEL accessories to compliment our work boot and shoe range.

THE REBEL GUARANTEE

SAFETY, QUALITY, COMFORT AND STYLE SINCE 2004.



Today's workforce demands far more from their protective footwear than ever before, expecting the latest in innovative safety technology, extreme comfort and distinctive style.

For 15 years REBEL Safety Gear has pioneered the design and manufacture of high quality innovative safety footwear for use in a diverse range of environments and unique applications for some of the toughest workers on Earth. Our products are manufactured from the finest materials, which have been rigorously tested for exceptional quality, comfort and durability.

Our range of work boots and shoes are designed and manufactured to comply with local and international safety regulations and quality standards, conforming to both ISO 20345:2011 and SANS 20345:2014.

The REBEL MAXIMUM GUARANTEE
is a symbol of our commitment to ensure
MAXIMUM comfort, durability, longevity
and safety without compromise.

The REBEL Difference

- A trusted South African safety brand.
- A strong reputation for producing high quality, innovative safety footwear.
- Experienced sales team delivering expertise and technical product support.
- Extensive and well established network of approved distributors.
- Products designed and tested in state-of-the-art international laboratories.
- Products manufactured in ISO-accredited factory.
- Products manufactured according to ISO 20345:2011, SANS 20345:2014 and NRCS certification.
- High quality manufacturing process delivering an industry best return rate of only 0.02%.
- Available in the widest size curve. From sizes UK2 to UK16 in certain styles.
- Comprehensive range of styles purpose built for general and specialised environments.

MAXIMUM COMFORT, ENSURES MAXIMUM WEARING TIME, RESULTING IN MAXIMUM PROTECTION.

The **REBEL** range of safety boots and shoes are available exclusively from our specialist network of approved **REBEL Distributors** located throughout Southern Africa. To locate your nearest **REBEL Distributor** please contact us.

TECHNOLOGY IN EVERY PAIR



REBEL metatarsal guard

Metatarsal guard to protect upper foot from falling objects.

REBEL uppers

High quality, premium grade upper materials include:

- Full grain leather (Barton print/Nubuck/smooth waxy leather)
- Breathable suede and mesh
- Easy cleaning microfiber
- Water resistant leather

REBEL footwear fastening

- Lace-up
- Easy to fit Velcro fastening
- Easy to fit zip up
- Easy to fit slide-on
- Rustproof, brass D-rings
- Quick release snap buckle

REBEL inner linings

Quality abrasion resistant, moisture wicking linings include:

- Taibrelle – moisture wicking lining moves sweat away from the foot
- Hydroseal – 100% waterproof lining, keeps the foot dry
- Hygienic – antibacterial properties

REBEL toe cap

All REBEL safety toe caps are tested to an impact resistance of 200 Joules.

- Non-metallic, EN approved composite toe cap
- Wide profile, EN approved steel toe cap
- SABS and EN approved

REBEL foot bed

- Hygienic removable and replaceable, cushioned innersole with anti-microbial and anti-static properties
- Ultra comfortable platinum footbeds also available in individual packs

REBEL insole stability board

- Biagioli IBITECH 2mm in-sole board

REBEL anti-penetration

Anti-penetration options available in certain styles:

- Steel midsole
- Non-metallic high density mesh

REBEL outsole

Various technologically advanced outsoles available:

- Dual density, polyurethane – lightweight and durable sole
- Heat resistant to 95°
- EVA/Rubber – comfortable and highly durable
- Nitrile rubber – 300°C heat resistance guaranteed
- All REBEL soles are crack-resistant tested to 30 000 flexes
- Tested for slip resistance in accordance with SANS 20345:2014 (SRA, SRB and SRC specification)
- Oil and acid resistant
- Cleats for climbing ladders
- Anti-static properties where specified
- ESD (electrostatic discharge) properties where specified

CHUKKA

The above mentioned technologies are available in specific ranges and styles. Application specific footwear must be selected to provide the required level of user protection. Contact us to ensure the correct safety footwear is selected to meet all of your safety footwear requirements.

TECHNICAL INFORMATION

REBEL Safety Gear work boots and shoes comply with the high standards required by ISO 20345:2011 and SANS 20345:2014. The classification systems used to identify the protection provided by our footwear is listed below:

SB	Impact and compression 200 joules.
S1	Impact and compression 200 joules, closed heel region and anti-static properties.
S1P	Anti-penetration protection plus S1.
S2	As S1, plus water resistance.
S3	As S2, plus penetration resistance.

Added protection can be provided and is identified on the product by it's marking:

- HRO = Sole resistant to hot contact of 300°C for 60 seconds
- P = Penetration resistance: 1100 Newton's
- M = Metatarsal protection
- WR = Water resistance
- SRA = Slip resistance – tested on a ceramic surface
- SRB = Slip resistance – tested on a metal surface
- SRC = Slip resistance – tested on ceramic and metal surfaces

Please refer to the tongue label to identify the specific safety and protection properties built-in to your pair of REBEL boots or shoes. It is important that the specific style and size of boot or shoe selected for use meets requirements for the environment and application in which it will be used.

Where the environment is not known, it is very important that consultation is carried out between the seller and the purchaser to ensure, where possible, the correct footwear is provided.



Electrostatic Discharge (ESD)

Anti-static (S1) shoes only offer a limited ability to allow charge to flow through them. ESD shoes have a sole that is more conductive, and thus offer a greater ability for charge to flow through them.

ESD shoes are the footwear of choice in an environment such as an electrical assembly plant, where a small electrostatic charge from the wearer onto a sensitive circuit board may damage the circuit board. The worker would wear an ESD pair of shoes to ensure that all the static build-up gets dissipated into the ground, and not through any other part of his or her body, such as hands.

SIZE CLASSIFICATIONS

Men's work boots and shoes	
UK/SA Sizes	EU Sizes
2	36
3	37
4	38
5	39
6	40
7	41
8	42
9	43
10	44
11	45
12	46
13	47
14	48
15	49

Women's work boots and shoes	
UK/SA Sizes	EU Sizes
2	35
3	36
4	37
5	38
6	39
7	40
8	41




Impact and
compression
200 joules




Impact and compression
200 joules anti-static
properties



Anti-penetration
protection plus S1



As S1, plus
water resistance



As S2, plus
penetration resistance

CARE GUIDELINES

REBEL safety footwear has been designed and manufactured to be worn in most industrial areas, although extreme temperatures, environments and conditions will shorten the footwear's lifespan.

It is important to take time to care for your safety footwear. Proper care will add to the lifespan of your footwear, it should ensure that the maximum comfort level is maintained for longer, and that hygienically, your shoes or boots do not contribute to health problems.

Safety footwear care tips

- Avoid scuffing the upper leather or treading on sharp edges that could cut or tear the sole.
- Clean your shoes regularly.
- Remove excess mud and dirt and wipe clean with a damp cloth and allow drying thoroughly, preferably overnight at room temperature.
- Never force dry your shoes or boots if they become wet, as direct heat may distort the upper and cause the leather to crack.
- If your footwear has a leather upper apply a good quality wax polish or shoe cream regularly.
- If your footwear has a Nubuck or suede upper it should be gently rubbed with a stiff bristled brush.
- Soles should be checked regularly and stones and metal shavings removed from the cleats.
- If the laces become worn, replace immediately to ensure a good fit.

! It is very important to note that damaged footwear will not provide the necessary protection you require, and should be replaced immediately if not in a suitable condition to protect your feet.

Lifespan of safety footwear

There is no set guide for how long your footwear will last. It depends on the environment in which it has been used and stored.

Storing footwear and the risk of Hydrolysis

Most safety footwear (including REBEL) soles are made from polyurethane (PU). PU has the right mix of abrasion resistance, lightweight properties and cost effectiveness. However, PU is a chemical compound which can degrade over time if it is not used regularly, or if it is stored in a dark and/or humid environment without regular use. **If your boots have sat unused for a long period of time (approx. three years) and then you start using them again, there is a high risk that the sole may disintegrate, this is known as HYDROLYSIS.** We cannot be held responsible for this disintegration if it results from long periods of storage.

Water damage

Most safety footwear is made from leather. Leather is **NOT** waterproof, or water-resistant, unless it has been specifically treated. If your boots are repeatedly exposed to water and mud, and they are not listed as water-resistant, they will eventually crack. We will view this as improper use, and will not replace any shoes which have become damaged as a result. If you polish your boots regularly, then the polish will protect against occasional – **NOT** regular water exposure.

REBEL SAFETY ICONS



200 Joules
Steel Cap



Slip Resistant



Chemical Resistant



Water Resistant



Anti-penetration



Reflective Tape



Metatarsal
Protection




Heat Resistant
up to 300°



Shock Absorbent



Genuine Leather



Microfiber



No Steel Toe Cap



Oil Resistant



HACCP Approved



Cold Resistant



Welding



Non-metallic



Arc Flash




Electrostatic
Discharge



Anti-static



Ladies







PRODUCTION FACILITY

REBEL work boots and shoes are produced in one of the World's largest and most qualified production facilities specialising in safety footwear. The production facility which produces more than 8 million pairs annually features world renowned DESMA shoe making equipment and state-of-the-art assembly lines from Germany and Italy.

The facility is also an active member of the SATRA certification body and complies with the most stringent global standards. The result is that REBEL's diverse and comprehensive safety footwear range boasts an industry-best return rate of only 0.02%, proving that REBEL Safety Gear offers highly durable, premium quality products with a very attractive price-performance ratio.

At our state-of-the-art design centre, we rigorously pursue an ongoing research and development programme, employing the most advanced and innovative technology. This ensures that only the finest safety products reach the market at an affordable price.



TRADITIONAL RANGE



CHUKKA

THE ICONIC TRADITIONAL WORK BOOT REDESIGNED **RE811**

TRADITIONAL

INTRODUCING THE NEW CHUKKA



RE811 CHUKKA BOOT

The iconic work boot

2 - 16



CHUKKA



Features

- ISO20345 classification – S1 (anti-static)
- Slip resistance classification – SRC
- Upper made from high quality full barton print leather
- Sole made from dual density polyurethane (PU)
- 200J steel toe cap



SPECIAL FEATURES

- Hi-viz reflective strip
- Thermoplastic polyurethane (TPU) toe bumper for added scuff protection

RE811-BR CHUKKA BOOT

The iconic work boot

2 - 15



CHUKKA



Features

- ISO20345 classification – S1 (anti-static)
- Slip resistance classification – SRC
- Upper made from high quality full barton print leather
- Sole made from dual density polyurethane (PU)
- 200J steel toe cap



SPECIAL FEATURES

- Hi-viz reflective strip
- Thermoplastic polyurethane (TPU) toe bumper for added scuff protection

OTHER WORK BOOTS AND SHOES WITH TOE BUMPERS



RE316 PG27



RE652-BK PG30



RE5174 PG43



RE954 PG45

RE380 CHUKKA SHOE

The iconic work shoe

2 - 14



CHUKKA



Features

- ISO20345 classification – S1 (anti-static)
- Slip resistance classification – SRC
- Upper made from high quality full barton print leather
- Sole made from dual density polyurethane (PU)
- 200J steel toe cap



SPECIAL FEATURES

- Hi-viz reflective strip
- Thermoplastic polyurethane (TPU) toe bumper for added scuff protection

RE128 KONTRAKTA BOOT

Affordable work boot

3 - 14



KONTRAKTA



Features

- ISO20345 classification – SB
- Slip resistance classification – SRA
- Upper made from high quality barton print split leather
- Sole made from dual density polyurethane (PU)
- 200J steel toe cap

OTHER TRADITIONAL WORK SHOES



FX2-S PG13



RE303 PG15



RE508 PG16

RE128-S KONTRAKTA SHOE

Affordable work shoe

3 - 13



KONTRAKTA



Features

- ISO20345 classification – SB
- Slip resistance classification – SRA
- Upper made from high quality barton print split leather
- Sole made from dual density polyurethane (PU)
- 200J steel toe cap

FX2-S1P FX2 SAFETY BOOT

General purpose work boot

2 - 14



FX2
ANTI PENETRATION SAFETY FOOTWEAR



Features

- ISO20345 classification – S1P (anti-static and anti-penetration)
- Slip resistance classification – SRC
- Upper made from high quality full barton print leather
- Sole made from dual density polyurethane (PU)
- 200J steel toe cap



SPECIAL FEATURES

- Steel midsole for anti-penetration

OTHER WORK BOOTS WITH ANTI-PENETRATION



FX2-CB-S1P PG13



FX2-CB-BR PG14



RE424-BK PG27




RE210-S3 PG44

FX2-S FX2 SAFETY SHOE

General purpose work shoe

2 - 13



FX2two



Features

- ISO20345 classification – S1 (anti-static)
- Slip resistance classification – SRC
- Upper made from high quality full barton print leather
- Sole made from dual density polyurethane (PU)
- 200J steel toe cap

FX2-CB-S1P FX2 CHELSEA BOOT

Chelsea work boot with anti-penetration

3 - 13



FX2two
ANTI PENETRATION SAFETY FOOTWEAR



Features

- ISO20345 classification – S1P (anti-static and anti-penetration)
- Slip resistance classification – SRC
- Upper made from high quality smooth microfiber
- Sole made from dual density polyurethane (PU)
- 200J steel toe cap



SPECIAL FEATURES

- Steel midsole for anti-penetration

OTHER LACELESS WORK BOOTS



RE652-BK PG30



RE652-TA PG29



RE652-BR PG30



RE940 PG57

FX2-CB-BR FX2 CHELSEA BOOT

Chelsea work boot with anti-penetration

 3 - 13
FX2
 ANTI PENETRATION SAFETY FOOTWEAR
**Features**


- ISO20345 classification – S1P (anti-static and anti-penetration)
- Slip resistance classification – SRC
- Upper made from high quality smooth microfiber
- Sole made from dual density polyurethane (PU)
- 200J steel toe cap

**SPECIAL FEATURES**

- Steel midsole for anti-penetration

RE304-BK HIKER HI

Superior work boot

 3 - 13**Features**

- ISO20345 classification – S1 (anti-static)
- Slip resistance classification – SRC
- Upper made from high quality waxy full grain leather
- Sole made from dual density polyurethane (PU)
- 200J steel toe cap

**SPECIAL FEATURES**

- Adventure and outdoor styling

OTHER OUTDOOR STYLED WORK BOOTS AND SHOES

RE424-BK PG27



RE424-BR PG28




RE425-BK PG28

RE304 HIKER HI

Superior work boot

2 - 14



Features

- ISO20345 classification – S1 (anti-static)
- Slip resistance classification – SRC
- Upper made from high quality waxy full grain leather
- Sole made from dual density polyurethane (PU)
- 200J steel toe cap




SPECIAL FEATURES

- Adventure and outdoor styling

RE303-BK HIKER LO

Superior work shoe

3 - 13



Features

- ISO20345 classification – S1 (anti-static)
- Slip resistance classification – SRC
- Upper made from high quality waxy full grain leather
- Sole made from dual density polyurethane (PU)
- 200J steel toe cap



SPECIAL FEATURES

- Adventure and outdoor styling

OTHER OUTDOOR STYLED WORK BOOTS AND SHOES



RE424-BK PG27



RE424-BR PG28



RE425-BK PG28


Features

- NO anti-static properties
- Upper made from high quality action leather
- Sole made from dual density polyurethane (PU)
- No steel toe cap

REBFB-01 STANDARD FOOTBED
 3 - 13

Materials

Moulded PU, taibrelle mesh upper.

Features

- Anti-bacterial
- Closed cell construction
- Contoured heel cushion
- Shock absorbing
- Arch support
- Moisture wicking
- Fast drying

Benefits

- Reduction in fatigue
- Reduction of aches & pains

Notes

If you remove your footbed from the shoe once a week, and allow the shoe to air properly, this helps to control fungal infection and associated complaints.

REBFB-02 PLATINUM FOOTBED
 2 - 14

Materials

Extra thick moulded PU, 2mm memory foam pillow top, Poron® heel insert, Velvet mesh upper.

Features

- As for the standard footbed; plus extra comfort
- Poron® insert is used worldwide for general orthopaedic problems

Benefits

- Reduction in fatigue
- Reduction of aches & pains

Notes

If you remove your footbed from the shoe once a week, and allow the shoe to air properly, this helps to control fungal infection and associated complaints.

SOCKSGY-S/L REBEL SOCKS
 4 - 12

Details:

Product code: SOCKSGY

Colour: Grey with yellow strip

Sizes: Medium 4-7UK, Large 8-12UK

Features


To compliment the REBEL range of hard working boots and shoes we recommend REBEL socks which provide a comfortable fit, are manufactured from high quality durable fabrics and are suitable for use in high heat environments. REBEL socks are cotton rich and offer the ultimate comfort in socks best suited to work in conjunction with the REBEL range of boots and shoes.

Fabric composition

- 85% cotton
- 10% nylon (for elasticity)
- 5% polyester

FX2two

ANTI PENETRATION SAFETY FOOTWEAR






MODERN STYLING HARD WORKING

APPLICATION AND INDUSTRY GUIDELINES

This application and industry guideline can be used to identify a range of boots and shoes perfectly suited to your required work environment.



This chart is intended as a guideline only. If you are uncertain about a boot or shoe's suitability for a certain application, please consult your PPE specialist, or a REBEL sales representative.

TECHNICAL FEATURE GUIDELINES

			200 STEEL TOE CAP	SLIP RESISTANT	CHEMICAL RESISTANT	WATER RESISTANT	ANTI-PENETRATION	REFLECTIVE TAPE	METATARSAL PROTECTION	HEAT RESISTANT UP TO 300°	SHOCK ABSORBENT	GENUINE LEATHER	MICROFIBER	NO STEEL TOE CAP	OIL RESISTANT	HACCP APPROVED	COLD RESISTANT	WELDING	NON-METALLIC	ARC FLASH	ELECTROSTATIC DISCHARGE	ANTI-STATIC	ZIP
TRADITIONAL	RE811	CHUKKA BOOT	◆	◆					◆	◆				◆							◆		
	RE811-BR	CHUKKA BOOT	◆	◆				◆		◆	◆			◆							◆		
	RE380	CHUKKA SHOE	◆	◆				◆		◆	◆			◆							◆		
	RE128	KONTRAKTA BOOT	◆	◆						◆	◆			◆								◆	
	RE128-S	KONTRAKTA SHOE	◆	◆						◆	◆			◆								◆	
	FX2-S1P	FX2 BOOT	◆	◆		◆				◆	◆			◆								◆	
	FX2-S	FX2 SHOE	◆	◆						◆	◆			◆								◆	
	FX2-CB-S1P	FX2 CHELSEA BOOT	◆	◆		◆				◆		◆		◆								◆	
	FX2-CB-BR	FX2 CHELSEA BOOT	◆	◆		◆				◆		◆		◆								◆	
	RE304-BK	HIKER HI BOOT	◆	◆						◆	◆			◆								◆	
	RE304	HIKER HI BOOT	◆	◆						◆	◆			◆								◆	
PREMIUM	RE303-BK	HIKER LO SHOE	◆	◆						◆	◆			◆								◆	
	RE508 (NST)	WORKPRO SHOE		◆								◆	◆	◆									
	RE942	LIGHT INDUSTRIAL SHOE	◆	◆						◆		◆		◆						◆	◆		
	RE0808	ENDURO-MAX SHOE	◆	◆					◆	◆	◆			◆						◆	◆		
	RE316	DYNAPRO SHOE	◆	◆						◆		◆		◆							◆		
	RE424-BK	EXPEDITION HI BOOT	◆	◆		◆	◆			◆	◆			◆							◆		
	RE424-BR	EXPEDITION HI BOOT	◆	◆		◆	◆			◆	◆			◆							◆		
	RE425-BK	EXPEDITION LO SHOE	◆	◆		◆	◆			◆	◆			◆							◆		
	RE203-BK	CLASSIC SHOE	◆	◆						◆	◆			◆							◆		
	RE652-TA	CRAZY HORSE BOOT	◆	◆		◆			◆	◆	◆			◆							◆		
	RE652-BK	CRAZY HORSE BOOT	◆	◆		◆			◆	◆	◆			◆							◆		
SPECIALISED	RE652-BR	CRAZY HORSE BOOT	◆	◆		◆			◆	◆	◆			◆							◆		
	RE651-BK	HAVOC BOOT	◆	◆					◆	◆		◆		◆							◆		
	RE651-BR	HAVOC BOOT	◆	◆					◆	◆		◆		◆							◆		
	RE420-BR	HI-TOP BOOT	◆	◆					◆	◆		◆		◆							◆		
	RE420-BK	HI-TOP BLACK BOOT	◆	◆					◆	◆		◆		◆							◆		
	RE429-CH	LO-TOP SAFETY SHOE	◆	◆					◆	◆		◆		◆					◆	◆	◆		
	RE429-BK	LO-TOP BLACK SAFETY SHOE	◆	◆					◆	◆		◆		◆							◆		
	FX2-MT-S1P	FX2 METATARSAL BOOT	◆	◆		◆		◆		◆	◆			◆							◆		
	GLO830-S1P	NON-METALLIC BOOT	◆	◆		◆				◆	◆			◆				◆			◆		
	RE655072-BK	THERMOTRAK HI BOOT	◆	◆					◆	◆	◆			◆		◆	◆		◆		◆		
	RE5174	JIGGA BOOT	◆	◆					◆	◆	◆			◆				◆	◆		◆		
LADIES	RE210-S3	CHEMITRAK S3 BOOT	◆	◆	◆	◆			◆	◆	◆			◆							◆		
	GLO68GY	HYGIENE BOOT	◆	◆		◆			◆	◆	◆	◆		◆	◆				◆		◆		
	RE912	RIGGER BOOT	◆	◆		◆	◆		◆	◆	◆			◆				◆			◆		
	RE954	MINER BOOT	◆	◆		◆	◆	◆	◆	◆	◆			◆							◆		
	RE911-S3	BLACK HAWK S3 BOOT	◆	◆		◆	◆		◆	◆	◆			◆							◆	◆	
	RE801	GLIDER SHOE	◆	◆					◆	◆		◆		◆	◆				◆		◆		
	REOV5	SAFETY OVERSHOE	◆	◆																			
	RE129	NALA BOOT	◆	◆						◆		◆		◆							◆	◆	
	RE682	IMAN SHOE	◆	◆						◆		◆		◆							◆	◆	
	RE974	ZARI SHOE	◆	◆						◆		◆		◆							◆	◆	
	RE940	THULI CHELSEA BOOT	◆	◆						◆		◆		◆							◆	◆	
	RE683	KITO SHOE	◆	◆						◆		◆		◆							◆	◆	
	RE941	LIGHT INDUSTRIAL SHOE	◆	◆						◆		◆		◆							◆	◆	

REBEL
SAFETY GEAR

LEADING THE PACK

IN SAFETY FOOTWEAR

Adherence, stability, water evacuation, lightness and flexibility. These are the benefits you will feel wearing Grey Wolf with soles by MICHELIN.

SOLES
BY



REBELLION

RE18312 GREYWOLF

 www.rebelsafetygear.com



SOLES
BY



Features

- ISO20345 classification – S1 (anti-static)
- Slip resistance classification – SRA
- Upper made from mesh and thermoplastic polyurethane (TPU) laminate
- The dual density outsole is manufactured by the famous tire manufacturer Michelin. It is a Rubber/EVA outsole.
- 200J Composite (non-metallic) toe cap

Suggested environments

General applications, hospitality, janitorial services, motor industry, production lines transport.




SPECIAL FEATURES

- Reduces foot fatigue
- Inspired by the Michelin Cross Climate Tire (50 000 miles warranty)
- Oil, slip, abrasion and heat resistant
- Anti-static



PREMIUM RANGE





CRAZY HORSE

A PREMIUM WORK BOOT READY FOR BUSINESS

PREMIUM

CRAZY HORSE



TOE BUMPER
FOR SCUFF
PROTECTION



200J Steel
Toe Cap



Anti-
penetration

CRAZY HORSE
GENUINE
LEATHTER



Oil Resistant



Slip Resistant



Heat
Resistant
up to 300°C


FINGER LOOP
SLIP-ON
DESIGN



RE942 LIGHT INDUSTRIAL

Lightweight and stylish safety shoe

5 - 13



LIGHT INDUSTRIAL



Features

- ISO20345 classification – S1 (anti-static)
- Slip resistance classification – SRA
- EVA rubber outsole
- 200J steel toe cap
- EVA midsole for extra comfort
- Rubber outsole for added durability




SPECIAL FEATURES

- EVA midsole
- Electrostatic discharge (ESD)

RE0808 ENDURO-MAX

Sport styled safety shoe

4 - 13



Features

- ISO20345 classification – S1 (anti-static)
- Slip resistance classification – SRA
- Upper made from high quality durable mesh and Nubuck leather with rubber toe bumper for added scuff protection
- Sole made from dual density EVA and rubber
- 200J steel toe cap



SPECIAL FEATURES

- Sole is heat resistant up to 300°
- Electrostatic discharge (ESD)

OTHER SPORT STYLED WORK SHOES



RE316 PG27



RE429-CH PG33




RE941 PG58

RE316 DYNAPRO

Super-stylish Flex-Mesh safety shoe

4 - 13



Features

- ISO20345 classification – S1 (anti-static)
- Slip resistance classification – SRA
- Upper made from high quality Flex-Mesh for comfort and flexibility
- Sole made from EVA (Phylon) grey midsole and rubber outsole
- 200J Composite (non-metallic) toe cap



SPECIAL FEATURES

- Non-metallic toe cap
- Thermoplastic polyurethane (TPU) toe bumper for added scuff protection

RE424-BK EXPEDITION HI

High performance outdoor styled safety boot

4 - 13



Features

- ISO20345 classification – S3 (anti-penetration and water resistant)
- Slip resistance classification – SRA
- Upper made from high quality Nubuck leather
- Sole made from EVA midsole and rubber outsole
- 200J steel toe cap



SPECIAL FEATURES

- Water resistant upper
- Steel midsole for anti-penetration
- Adventure and outdoor styling

OTHER WATER RESISTANT WORK BOOTS



RE210-S3 PG44



GL068GY PG44



RE912 PG45



RE954 PG45

RE424-BR EXPEDITION HI

High performance outdoor styled safety boot

4 - 13



Features

- ISO20345 classification – S3 (anti-penetration and water resistant)
- Slip resistance classification – SRA
- Upper made from high quality Nubuck leather
- EVA midsole and rubber outsole
- 200J steel toe cap



SPECIAL FEATURES

- Water resistant upper
- Steel midsole for anti-penetration
- Adventure and outdoor styling

RE425-BK EXPEDITION LO

High performance outdoor styled safety shoe

4 - 13



Features

- ISO20345 classification – S3 (anti-penetration and water resistant)
- Slip resistance classification – SRA
- Upper made from high quality Nubuck leather
- EVA midsole and rubber outsole
- 200J steel toe cap



SPECIAL FEATURES

- Water resistant upper
- Steel midsole for anti-penetration
- Adventure and outdoor styling

OTHER OUTDOOR STYLED WORK BOOTS AND SHOES



RE304-BK PG14



RE304 PG15




RE303-BK PG16

RE203-BK CLASSIC WORK SHOE

Classic styled formal work shoe

4 - 13



Features

- ISO20345 classification – S1 (anti-static)
- Slip resistance classification – SRC
- Upper manufactured from high quality full grain Buffalo smooth leather
- Sole manufactured from dual density polyurethane
- 200J steel toe cap

RE652-TA CRAZY HORSE TAN

Stylish work boot with supreme comfort

4 - 13



Features

- ISO20345 classification – S1P (anti-penetration protection)
- Slip resistance classification – SRA
- Upper manufactured from high quality full grain Crazy Horse (suede finish) tan leather
- Thermoplastic polyurethane (TPU) toe bumper for added scuff protection
- 200J steel toe cap



SPECIAL FEATURES

- Outsole is heat resistant up to 300°
- Ultra-thick outsole with REBEL Platinum footbed (memory foam) providing maximum comfort
- Steel midsole for anti-penetration

OTHER BOOTS AND SHOES WITH TOE BUMPERS



RE811 PG10



RE316 PG27



RE5174 PG43



RE954 PG45

RE652-BK CRAZY HORSE BLACK

Stylish work boot with supreme comfort

4 - 13



Features

- ISO20345 classification – S1P (anti-penetration protection)
- Slip resistance classification – SRA
- Upper manufactured from high quality full grain Crazy Horse black leather
- Thermoplastic polyurethane (TPU) toe bumper for added scuff protection
- 200J steel toe cap



SPECIAL FEATURES

- Outsole is heat resistant up to 300°
- Ultra-thick outsole with REBEL Platinum footbed (memory foam) providing maximum comfort
- Steel midsole for anti-penetration

RE652-BR CRAZY HORSE BROWN

Stylish work boot with supreme comfort

2 - 14



Features

- ISO20345 classification – S1P (anti-penetration protection)
- Slip resistance classification – SRA
- Upper manufactured from high quality full grain Crazy Horse brown leather
- Thermoplastic polyurethane (TPU) toe bumper for added scuff protection
- 200J steel toe cap



SPECIAL FEATURES

- Outsole is heat resistant up to 300°
- Ultra-thick outsole with REBEL Platinum footbed (memory foam) providing maximum comfort
- Steel midsole for anti-penetration

OTHER WORK BOOTS WITH ANTI-PENETRATION



FX2-CB-S1P PG13



RE424-BR PG28



GLO830-S1P PG42



RE954 PG45

RE651-BK HAVOC BLACK

Stylish lace-up work boot with supreme comfort

4 - 13

**Features**

- ISO20345 classification – S1P (anti-penetration protection)
- Slip resistance classification – SRA
- Upper made from high quality waxy smooth leather
- Polyurethane (PU) collar and thermoplastic polyurethane (TPU) reinforcing heel guard
- Sole made from dual density polyurethane (PU) and rubber
- 200J steel toe cap

**SPECIAL FEATURES**

- Outsole is heat resistant up to 300°
- Ultra-thick outsole with REBEL Platinum footbed (memory foam) providing maximum comfort
- Steel midsole for anti-penetration

RE651-BR HAVOC BROWN

Stylish lace-up work boot with supreme comfort

4 - 13

**Features**

- ISO20345 classification – S1 (anti-static)
- Slip resistance classification – SRA
- Upper made from high quality waxy smooth leather
- Polyurethane (PU) collar and thermoplastic polyurethane (TPU) reinforcing heel guard
- Sole made from dual density polyurethane (PU) and rubber
- 200J steel toe cap

**SPECIAL FEATURES**

- Outsole is heat resistant up to 300°
- Ultra-thick outsole with REBEL Platinum footbed (memory foam) providing maximum comfort

OTHER WORK BOOTS WITH SIMILAR SOLES

RE652-TA PG29



RE652-BK PG30




RE652-BR PG30

RE420-BR HI TOP BROWN BOOT

Trendy sneaker styled safety boot

4 - 13




Features

- ISO20345 classification – S1 (anti-static)
- Slip resistance classification – SRC
- Upper made from high quality smooth microfiber
- Sole made with dual density polyurethane (PU)
- 200J wide profile steel toe cap
- Footbed made with ultra-thick polyurethane (PU) foam with mesh top lining

RE420-BK HI TOP BLACK BOOT

Trendy sneaker styled safety shoe

4 - 13



Features

- ISO20345 classification – S1 (anti-static)
- Slip resistance classification – SRC
- Upper made from high quality smooth microfiber
- Sole made with dual density polyurethane (PU)
- 200J wide profile steel toe cap
- Footbed made with ultra-thick polyurethane (PU) foam with mesh top lining

OTHER WORK BOOTS AND SHOES WITH MICROFIBER UPPERS



RE942 PG26



RE940 PG57



RE941 PG58




RE683 PG58

RE429-CH LO TOP SAFETY SHOE

Trendy sneaker styled safety shoe

4 - 13



Features

- ISO20345 classification – S1 (anti-static)
- Slip resistance classification – SRC
- Upper made from high quality smooth microfiber
- Sole made with dual density polyurethane (PU)
- 200J wide profile steel toe cap
- Footbed made with ultra-thick polyurethane (PU) foam with mesh top lining




SPECIAL FEATURES

- Electrostatic discharge (ESD)

RE429-BK LO TOP BLACK SAFETY SHOE

Trendy sneaker styled safety shoe

4 - 13



Features

- ISO20345 classification – S1 (anti-static)
- Slip resistance classification – SRC
- Upper made from high quality smooth microfiber
- Sole made with dual density polyurethane (PU)
- 200J wide profile steel toe cap
- Footbed made with ultra-thick polyurethane (PU) foam with mesh top lining

OTHER BLACK PREMIUM BOOTS AND SHOES



RE425-BK PG29



RE203-BK PG29




RE652-BK PG31



RE651-BK PG30

»DYNAPRO



FLEX-MESH
WOVEN UPPER

Anti-static


200J
Composite
Toe Cap

Slip Resistant

TOE BUMPER
FOR SCUFF
PROTECTION



WORK WITH SPEED AND CONFIDENCE




PREMIUM



APPLICATION AND INDUSTRY GUIDELINES

This application and industry guideline can be used to identify a range of boots and shoes perfectly suited to your required work environment.



This chart is intended as a guideline only. If you are uncertain about a boot or shoe's suitability for a certain application, please consult your PPE specialist, or a REBEL sales representative.

TECHNICAL FEATURE GUIDELINES


			200 STEEL TOE CAP	SLIP RESISTANT	CHEMICAL RESISTANT	WATER RESISTANT	ANTI-PENETRATION	REFLECTIVE TAPE	METATARSAL PROTECTION	HEAT RESISTANT UP TO 300°	SHOCK ABSORBENT	GENUINE LEATHER	MICROFIBER	NO STEEL TOE CAP	OIL RESISTANT	HACCP APPROVED	COLD RESISTANT	WELDING	NON-METALLIC	ARC FLASH	ELECTROSTATIC DISCHARGE	ANTI-STATIC	ZIP
PREMIUM	RE942	LIGHT INDUSTRIAL SHOE																					
	RE0808	ENDURO-MAX SHOE																					
	RE316	DYNAPRO SHOE																					
	RE424-BK	EXPEDITION HI BOOT																					
	RE424-BR	EXPEDITION HI BOOT																					
	RE425-BK	EXPEDITION LO SHOE																					
	RE203-BK	CLASSIC SHOE																					
	RE652-TA	CRAZY HORSE BOOT																					
	RE652-BK	CRAZY HORSE BOOT																					
	RE652-BR	CRAZY HORSE BOOT																					
	RE651-BK	HAVOC BOOT																					
	RE651-BR	HAVOC BOOT																					
	RE420-BR	HI-TOP BOOT																					
	RE420-BK	HI-TOP BLACK BOOT																					
TRADITIONAL	RE429-CH	LO-TOP SAFETY SHOE																					
	RE429-BK	LO-TOP BLACK SAFETY SHOE																					
	RE811	CHUKKA BOOT																					
	RE811-BR	CHUKKA BOOT																					
	RE380	CHUKKA SHOE																					
	RE128	KONTRAKTA BOOT																					
	RE128-S	KONTRAKTA SHOE																					
	FX2-S1P	FX2 BOOT																					
	FX2-S	FX2 SHOE																					
	FX2-CB-S1P	FX2 CHELSEA BOOT																					
	FX2-CB-BR	FX2 CHELSEA BOOT																					
	RE304-BK	HIKER HI BOOT																					
	RE304	HIKER HI BOOT																					
SPECIALISED	RE303-BK	HIKER LO SHOE																					
	RE508 (NST)	WORKPRO SHOE																					
	FX2-MT-S1P	FX2 METATARSAL BOOT																					
	GLO830-S1P	NON-METALLIC BOOT																					
	RE655072-BK	THERMOTRAK HI BOOT																					
	RE5174	JIGGA BOOT																					
	RE210-S3	CHEMITRAK S3 BOOT																					
	GLO68GY	HYGIENE BOOT																					
	RE912	RIGGER BOOT																					
	RE954	MINER BOOT																					
	RE911-S3	BLACK HAWK S3 BOOT																					
LADIES	RE801	GLIDER SHOE																					
	REOV5	SAFETY OVERSHOE																					
	RE129	NALA BOOT																					
	RE682	IMAN SHOE																					
	RE974	ZARI SHOE																					
	RE940	THULI CHELSEA BOOT																					
	RE683	KITO SHOE																					
	RE941	LIGHT INDUSTRIAL SHOE																					



SPECIALISED RANGE

MAXIMUM PROTECTION IN THE MOST EXTREME ENVIRONMENTS





FX2-MT-S1P FX2 METATARSAL BOOT

Metatarsal protection

3 - 13



Features

- ISO20345 classification – S1P (anti-penetration protection)
- Slip resistance classification – SRC
- Upper made from high quality full barton print leather
- Sole made from dual density polyurethane (PU)
- 200J steel toe cap
- Metatarsal – ABS (Acrylonitrile Butadiene Styrene) plastic




SPECIAL FEATURES

- Fixed metaguard for metatarsal protection
- Steel midsole for anti-penetration

GLO830-S1P NON-METALLIC BOOT

Non-metallic work boot

3 - 13



Features

- ISO20345 classification – S1P (anti-penetration protection)
- Slip resistance classification – SRC
- Upper made from high quality full barton print leather
- Sole made from dual density polyurethane (PU)
- Non-metallic high density plastic eyelets



SPECIAL FEATURES

- Non-metallic high density mesh for anti-penetration protection
- 200J composite non-metallic toe cap

OTHER WATER RESISTANT WORK BOOTS



RE210-S3 PG44



GL068GY PG44



RE912 PG45



RE954 PG45

RE6S5072-BK THERMOTRAK HI

Heat resistant work boot

4 - 14



Features

- ISO20345 classification – S1 (anti-static)
- Slip resistance classification – SRC
- Upper made from high quality full grain black leather
- Sole made from dual density polyurethane (PU) and rubber
- No eyelets or laces. Quick release Velcro fastening on the inside tab and quick release snap buckle on the outside
- 200J steel toe cap




SPECIAL FEATURES

- Outsole is heat resistant up to 300°
- Built-in metatarsal spat to protect against splashes and welding sparks

RE5174 JIGGA

Thermotrak heat resistant non-metallic work boot

3 - 13



Features

- ISO20345 classification – SB (no anti-static properties)
- Slip resistance classification – SRA
- Upper made from high quality full barton print leather
- Sole made from dual density polyurethane (PU) and rubber
- Eyelets made from non-metallic high density plastic
- 200J composite non-metallic toe cap



SPECIAL FEATURES

- Outsole is heat resistant up to 300°
- 200J composite non-metallic toe cap
- Arc Flash compliant with ESKOM SPEC 34-232

OTHER SPECIALISED HEAT RESISTANT WORK BOOTS



RE5174 PG43



RE210-S3 PG44



GL068GY PG44



RE912 PG45

RE210-S3 CHEMITRAK S3 BOOT

Technical S3 work boot

4 - 13



Features

- ISO20345 classification – S3 (anti-penetration and water resistant)
- Slip resistance classification – SRC
- Upper made from high quality full grain water resistant black waxy cow leather
- Polyurethane (PU) and Rubber
- Nickel-free reinforced eyelets
- Waterproof "Hydroseal" full inner sock
- 200J steel toe cap



SPECIAL FEATURES

- S2 Waxy leather upper highly resistant to chemicals, water, flame, oil and mould
- Steel midsole for anti-penetration
- PU rubber heat resistant to 300°C on contact (for 60 seconds)

GL068GY HYGIENE BOOT

Food and hygiene specific work boot

3 - 13



Features

- ISO20345 classification – S3 (anti-penetration and water resistant)
- Slip resistance classification – SRA
- Upper made from S2 water-resistant micro-fibre
- Sole made from dual density polyurethane (PU) and rubber
- 200J composite non-metallic toe cap



SPECIAL FEATURES

- Outsole is heat resistant up to 300°
- Non-metallic high density mesh midsole for anti-penetration protection
- Water resistant upper

OTHER S3 WORK BOOTS



RE424-BK PG27



RE911-S3 PG46



RE912 PG45



RE954 PG45

RE912 RIGGER BOOT

Water and heat resistant non-metallic rigger boot

4 - 13



Features

- ISO20345 classification – S3 (anti-penetration and water resistant)
- Slip resistance classification – SRA
- Injection moulded construction process
- Upper made with high quality full grain leather with thermoplastic polyurethane (TPU) toe bumper for added scuff protection
- Sole made from dual density polyurethane (PU) and rubber



SPECIAL FEATURES

- Water resistant upper
- Outsole is heat resistant up to 300°
- Non-metallic high density mesh for anti-penetration protection

RE954 MINER

Heavy duty work boot for ultimate protection

4 - 14



Features

- ISO20345 classification – S3 (anti-penetration and water resistant)
- Slip resistance classification – SRC
- Injection moulded construction process
- Upper made from high quality Buffalo Crazy Horse leather
- Thermoplastic polyurethane (TPU) toe bumper for scuff protection
- Thermoplastic polyurethane (TPU) heel support guard
- 200J steel toe cap
- Sole made from dual density polyurethane (PU) and rubber



SPECIAL FEATURES

- Outsole is heat resistant up to 300°
- Steel midsole for anti-penetration
- Poron® XRD built-in metatarsal guard for impact protection

OTHER WORK BOOTS AND SHOES WITH ESD TECHNOLOGY



RE942 PG26



RE0808 PG26



RE429-CH PG33



RE682 PG56

RE911-S3 BLACK HAWK S3

Close quarter combat work boot

3 - 15



Features

- ISO20345 classification – S3 (anti-penetration and water resistant)
- Slip resistance classification – SRC
- Upper made with high quality water resistant heavy duty canvas complete with leather buffers
- Sole made from dual density polyurethane (PU)
- Nickel-free eyelets and D-Rings



SPECIAL FEATURES

- Heavy duty canvas has water resistant coating which allows breathability and quick drying
- Quick release concealed YKK side zip
- Steel midsole for anti-penetration

RE801 GLIDER

Men's non-metallic slip-on work shoe

3 - 13



Features

- ISO20345 classification – S1 (anti-static)
- Slip resistance classification – SRC
- Upper made from high quality microfiber
- Padded microfiber collar for added comfort
- Sole made from dual density polyurethane (PU)
- Footbed made from extra thick polyurethane (PU) foam with 2mm memory foam pillow top and Poron® heel insert



SPECIAL FEATURES

- 200J composite non-metallic toe cap
- Ideal for food and hygiene industry

OTHER HIGH WORK BOOTS



RE651-BR PG31



RE655072-BK PG43



RE912 PG45



RE911-S3 PG46



**FULL GRAIN
BLACK
LEATHER**



**Built-in spat
for Welding**



Slip Resistant



Anti-static

**QUICK
RELEASE
SNAP
BUCKLE**



**Heat Resistant
up to 300°**

**QUICK
RELEASE
VELCRO
STRAP**



**200J Steel
Toe Cap**



THERMOTRAK HI






**EXTREME
SAFETY
EVERYDAY**



APPLICATION AND INDUSTRY GUIDELINES

This application and industry guideline can be used to identify a range of boots and shoes perfectly suited to your required work environment.



This chart is intended as a guideline only. If you are uncertain about a boot or shoe's suitability for a certain application, please consult your PPE specialist, or a REBEL sales representative.

TECHNICAL FEATURE GUIDELINES

			200 STEEL TOE CAP	SLIP RESISTANT	CHEMICAL RESISTANT	WATER RESISTANT	ANTI-PENETRATION	REFLECTIVE TAPE	METATARSAL PROTECTION	HEAT RESISTANT UP TO 300°	SHOCK ABSORBENT	GENUINE LEATHER	MICROFIBER	NO STEEL TOE CAP	OIL RESISTANT	HACCP APPROVED	COLD RESISTANT	WELDING	NON-METALLIC	ARC FLASH	ELECTROSTATIC DISCHARGE	ANTI-STATIC	ZP
SPECIALISED	FX2-MT-S1P	FX2 METATARSAL BOOT	◆	◆					◆		◆				◆						◆		
	GLO830-S1P	NON-METALLIC BOOT	◆	◆					◆		◆				◆				◆		◆		
	RE655072-BK	THERMOTRAK HI BOOT	◆	◆					◆		◆				◆		◆		◆		◆		
	RE5174	JIGGA BOOT	◆	◆					◆		◆				◆				◆	◆			
	RE210-S3	CHEMITRAK S3 BOOT	◆	◆	◆	◆			◆		◆				◆						◆		
	GLO68GY	HYGIENE BOOT	◆	◆		◆			◆		◆		◆		◆				◆		◆		
	RE912	RIGGER BOOT	◆	◆		◆	◆		◆		◆				◆				◆		◆		
	RE954	MINER BOOT	◆	◆		◆	◆	◆	◆		◆				◆				◆		◆		
	RE911-S3	BLACK HAWK S3 BOOT	◆	◆		◆	◆		◆		◆				◆						◆		◆
	RE801	GLIDER SHOE	◆	◆					◆		◆		◆		◆				◆		◆		
LADIES	REOV5	SAFETY OVERSHOE	◆	◆																			
	RE129	NALA BOOT	◆	◆						◆		◆			◆						◆		
	RE682	IMAN SHOE	◆	◆						◆		◆			◆					◆	◆		
	RE974	ZARI SHOE	◆	◆						◆		◆			◆						◆		
	RE940	THULI CHELSEA BOOT	◆	◆						◆		◆			◆						◆		
	RE683	KITO SHOE	◆	◆						◆		◆			◆						◆		
TRADITIONAL	RE941	LIGHT INDUSTRIAL SHOE	◆	◆						◆		◆			◆					◆	◆		
	RE811	CHUKKA BOOT	◆	◆						◆		◆			◆						◆		
	RE811-BR	CHUKKA BOOT	◆	◆						◆		◆			◆						◆		
	RE380	CHUKKA SHOE	◆	◆						◆		◆			◆						◆		
	RE128	KONTRAKTA BOOT	◆	◆						◆		◆			◆						◆		
	RE128-S	KONTRAKTA SHOE	◆	◆						◆		◆			◆						◆		
	FX2-S1P	FX2 BOOT	◆	◆						◆		◆			◆						◆		
	FX2-S	FX2 SHOE	◆	◆						◆		◆			◆						◆		
	FX2-CB-S1P	FX2 CHELSEA BOOT	◆	◆						◆		◆			◆						◆		
	FX2-CB-BR	FX2 CHELSEA BOOT	◆	◆						◆		◆			◆						◆		
	RE304-BK	HIKER HI BOOT	◆	◆						◆		◆			◆						◆		
	RE304	HIKER HI BOOT	◆	◆						◆		◆			◆						◆		
PREMIUM	RE303-BK	HIKER LO SHOE	◆	◆						◆		◆			◆						◆		
	RE508 (NST)	WORKPRO SHOE		◆									◆	◆	◆								
	RE942	LIGHT INDUSTRIAL SHOE	◆	◆						◆		◆			◆					◆	◆		
	RE0808	ENDURO-MAX SHOE	◆	◆					◆		◆				◆					◆	◆		
	RE316	DYNAPRO SHOE	◆	◆						◆		◆			◆						◆		
	RE424-BK	EXPEDITION HI BOOT	◆	◆		◆	◆			◆		◆			◆						◆		
	RE424-BR	EXPEDITION HI BOOT	◆	◆		◆	◆			◆		◆			◆						◆		
	RE425-BK	EXPEDITION LO SHOE	◆	◆		◆	◆			◆		◆			◆						◆		
	RE203-BK	CLASSIC SHOE	◆	◆						◆		◆			◆						◆		
	RE652-TA	CRAZY HORSE BOOT	◆	◆					◆		◆				◆						◆		
	RE652-BK	CRAZY HORSE BOOT	◆	◆					◆		◆				◆						◆		
	RE652-BR	CRAZY HORSE BOOT	◆	◆					◆		◆				◆						◆		
	RE651-BK	HAVOC BOOT	◆	◆						◆		◆			◆						◆		
	RE651-BR	HAVOC BOOT	◆	◆						◆		◆			◆						◆		
	RE420-BR	HI-TOP BOOT	◆	◆						◆		◆			◆						◆		
	RE420-BK	HI-TOP BLACK BOOT	◆	◆						◆		◆			◆						◆		
	RE429-CH	LO-TOP SAFETY SHOE	◆	◆						◆		◆			◆					◆	◆		
	RE429-BK	LO-TOP BLACK SAFETY SHOE	◆	◆						◆		◆			◆						◆		


A person wearing a blue long-sleeved shirt, blue trousers, and black safety boots with pink socks is moving cardboard boxes in a warehouse. The boxes are stacked on a wooden pallet. One box has handwritten text: "HEART NOTE PADS", "QTY: 140", and "GREEN". There are also "Fragile" and "This Side Up" symbols on the boxes. The text "LADIES RANGE" is overlaid in the center.

LADIES RANGE



SAFETY NEVER LOOKED THIS GOOD


Style and comfort come standard



RE129 NALA Ladies lace-up safety boot 2 - 8

Ladies lace-up safety boot

 2 - 8



Features

- ISO20345 classification – S1 (anti-static)
- Slip resistance classification – SRA
- Upper made from high quality microfiber
- Sole made from dual density polyurethane (PU)
- 200J steel toe cap
- Footbed made from EVA foam with mesh top lining

RE682 IMAN	Ladies lace-up safety shoe	2 - 8
-------------------	----------------------------	---

Ladies lace-up safety shoe

2 - 8



Features

- ISO20345 classification – S1 (anti-static)
- Slip resistance classification – SRA
- Upper made from high quality microfiber
- Sole made from dual density polyurethane (PU)
- 200J steel toe cap
- Footbed made from EVA foam with mesh top lining



SPECIAL FEATURES

- **Electrostatic discharge (ESD)**

OTHER BOOTS AND SHOES WITH ESD TECHNOLOGY



RE942 PG26



RE0808 PG26




RE429-CH PG33



RE941 PG58

RE974 ZARI


Ladies safety shoe with Velcro strap

 2 - 8**Features**

- ISO20345 classification – S1 (anti-static)
- Slip resistance classification – SRA
- Upper made from high quality microfiber, polyurethane (PU) collar with Velcro strap overlay
- Sole made from dual density polyurethane (PU)
- 200J steel toe cap

RE940 THULI

Ladies chelsea safety boot

 2 - 8**Features**

- ISO20345 classification – S1 (anti-static)
- Slip resistance classification – SRA
- Upper made from high quality microfiber
- EVA rubber outsole
- 200J steel toe cap

**SPECIAL FEATURES**

- Heat resistant up to 120°

OTHER UNISEX WORK SHOES

FX2-S PG13



RE508-NST PG16



RE316 PG27

RE683 KITO

Ladies slip-on safety shoe

2 - 8



Features

- ISO20345 classification – S1 (anti-static)
- Slip resistance classification – SRA
- Upper made from high quality microfiber
- Sole made from dual density polyurethane (PU)
- 200J steel toe cap

RE941 LIGHT INDUSTRIAL

Lightweight and stylish safety shoe

2 - 8



Features

- ISO20345 classification – S1 (anti-static)
- Slip resistance classification – SRA
- EVA rubber outsole
- 200J steel toe cap
- EVA midsole for added comfort
- Rubber outsole for added durability



SPECIAL FEATURES

- EVA midsole
- Outsole is heat resistant up to 120°
- Electrostatic discharge (ESD)

OTHER SPORT STYLED SAFETY SHOES




RE942 PG26



RE0808 PG26



RE316 PG27



200J steel
toe cap

BREATHABLE
MICROFIBER
UPPER

STYLISH
SLIP-ON
BOOT



Anti-static



Slip resistant



Oil resistant



Thuli



LIGHT **INDUSTRIAL**

APPLICATION AND INDUSTRY GUIDELINES

This application and industry guideline can be used to identify a range of boots and shoes perfectly suited to your required work environment.

	RE129 NALA BOOT	RE682 IMANI SHOE	RE974 ZARI SHOE	RE94 THULI CHELSEA BOOT	RE683 KITO SHOE	RE941 LIGHT INDUSTRIAL SHOE
AGRICULTURE	◆			◆	◆	
CONSTRUCTION	◆	◆				
CONTRACT LABOUR				◆		
ELECTRICIANS						
ENGINEERING			◆		◆	
FISHING & ALLIED INDUSTRIES	◆		◆	◆		
FOOD, MEDICAL & PHARMACEUTICAL				◆	◆	
GLASS MANUFACTURING						
GENERAL APPLICATIONS	◆	◆	◆	◆	◆	◆
HOSPITALITY			◆	◆	◆	
JANITORIAL SERVICES			◆	◆	◆	
MINING	◆	◆	◆			
MOTOR INDUSTRY	◆			◆	◆	
CHEMICAL & PETROCHEMICAL	◆		◆			
PRODUCTION LINES			◆	◆	◆	
REFINERIES			◆			
SECURITY & TACTICAL						
SITE INSPECTIONS ONLY						
TRANSPORT		◆			◆	
WASTE DISPOSAL						
WELDERS, FOUNDRIES & SMELTERS						



This chart is intended as a guideline only. If you are uncertain about a boot or shoe's suitability for a certain application, please consult your PPE specialist, or a REBEL sales representative.

TECHNICAL FEATURE GUIDELINES

		200J STEEL TOE CAP	SLIP RESISTANT	CHEMICAL RESISTANT	WATER RESISTANT	ANTI-PENETRATION	REFLECTIVE TAPE	METATARSAL PROTECTION	HEAT RESISTANT UP TO 300°	SHOCK ABSORBENT	GENUINE LEATHER	MICROFIBER	NO STEEL TOE CAP	OIL RESISTANT	HACCP APPROVED	COLD RESISTANT	WELDING	NON-METALLIC	ARC FLASH	ELECTROSTATIC DISCHARGE	ZIP
LADIES	RE129 NALA BOOT	◆	◆						◆		◆		◆							◆	
	RE682 IMAN SHOE	◆	◆						◆		◆		◆						◆	◆	
	RE974 ZARI SHOE	◆	◆						◆		◆		◆							◆	
	RE940 THULI CHELSEA BOOT	◆	◆						◆		◆		◆							◆	
	RE683 KITO SHOE	◆	◆						◆		◆		◆							◆	
	RE941 LIGHT INDUSTRIAL SHOE	◆	◆						◆		◆		◆						◆	◆	
TRADITIONAL	RE811 CHUKKA BOOT	◆	◆			◆			◆	◆			◆							◆	
	RE811-BR CHUKKA BOOT	◆	◆			◆			◆	◆			◆							◆	
	RE380 CHUKKA SHOE	◆	◆			◆			◆	◆			◆							◆	
	RE128 KONTRAKTA BOOT	◆	◆						◆	◆			◆								
	RE128-S KONTRAKTA SHOE	◆	◆						◆	◆			◆								
	FX2-S1P FX2 BOOT	◆	◆		◆				◆	◆			◆								◆
	FX2-S FX2 SHOE	◆	◆						◆	◆			◆								◆
	FX2-CB-S1P FX2 CHELSEA BOOT	◆	◆		◆				◆		◆		◆								◆
	FX2-CB-BR FX2 CHELSEA BOOT	◆	◆		◆				◆		◆		◆								◆
	RE304-BK HIKER HI BOOT	◆	◆						◆	◆			◆								◆
	RE304 HIKER HI BOOT	◆	◆						◆	◆			◆								◆
	RE303-BK HIKER LO SHOE	◆	◆						◆	◆			◆								◆
	RE508 (NST) WORKPRO SHOE		◆								◆	◆	◆								
PREMIUM	RE942 LIGHT INDUSTRIAL SHOE	◆	◆						◆		◆		◆						◆	◆	
	RE0808 ENDURO-MAX SHOE	◆	◆					◆	◆	◆			◆						◆	◆	
	RE316 DYNAPRO SHOE	◆	◆						◆		◆		◆							◆	
	RE424-BK EXPEDITION HI BOOT	◆	◆		◆	◆			◆	◆			◆							◆	
	RE424-BR EXPEDITION HI BOOT	◆	◆		◆	◆			◆	◆			◆							◆	
	RE425-BK EXPEDITION LO SHOE	◆	◆		◆	◆			◆	◆			◆							◆	
	RE203-BK CLASSIC SHOE	◆	◆						◆	◆			◆							◆	
	RE652-TA CRAZY HORSE BOOT	◆	◆		◆			◆	◆	◆			◆							◆	
	RE652-BK CRAZY HORSE BOOT	◆	◆		◆			◆	◆	◆			◆							◆	
	RE652-BR CRAZY HORSE BOOT	◆	◆		◆			◆	◆	◆			◆							◆	
	RE651-BK HAVOC BOOT	◆	◆					◆	◆		◆		◆							◆	
	RE651-BR HAVOC BOOT	◆	◆					◆	◆		◆		◆							◆	
	RE420-BR HI-TOP BOOT	◆	◆						◆		◆		◆							◆	
	RE420-BK HI-TOP BLACK BOOT	◆	◆						◆		◆		◆							◆	
	RE429-CH LO-TOP SAFETY SHOE	◆	◆						◆		◆		◆						◆	◆	
	RE429-BK LO-TOP BLACK SAFETY SHOE	◆	◆						◆		◆		◆							◆	
SPECIALISED	FX2-MT-S1P FX2 METATARSAL BOOT	◆	◆		◆		◆		◆	◆			◆							◆	
	GLO830-S1P NON-METALLIC BOOT	◆	◆		◆				◆	◆			◆				◆			◆	
	RE655072-BK THERMOTRAK HI BOOT	◆	◆					◆	◆	◆			◆		◆	◆		◆		◆	
	RE5174 JIGGA BOOT	◆	◆					◆	◆	◆			◆				◆	◆		◆	
	RE210-S3 CHEMITRAK S3 BOOT	◆	◆	◆	◆	◆		◆	◆	◆			◆							◆	
	GLO68GY HYGIENE BOOT	◆	◆		◆			◆	◆	◆		◆	◆					◆		◆	
	RE912 RIGGER BOOT	◆	◆		◆	◆		◆	◆	◆			◆				◆			◆	
	RE954 MINER BOOT	◆	◆		◆	◆		◆	◆	◆			◆							◆	
	RE911-S3 BLACK HAWK S3 BOOT	◆	◆		◆	◆		◆	◆	◆			◆							◆	◆
	RE801 GLIDER SHOE	◆	◆						◆		◆		◆	◆				◆		◆	
	REOV5 SAFETY OVERSHOE	◆	◆																		

REOV'S OVERSHOE

Unisex safety visitor overshoe

2 - 13+



SMALL (2-5)
MEDIUM (6-9)
LARGE (10-13+)



Features

- Small (UK 2-5); Medium (UK 6-9); Large (UK 10-13+)
- Slip resistance classification – SRC (not a full sole)
- Sole made from rubber, non-slip design
- Aluminium toe cap



SPECIAL FEATURES

- Velcro adjustable strap and lightweight, unisex design
- SRC anti-slip design, durable and flexible rubber sole

REBFB-01 STANDARD FOOTBED

3 - 13



Materials

Moulded PU, taibrelle mesh upper.

Features

- Anti-bacterial
- Closed cell construction
- Contoured heel cushion
- Shock absorbing
- Arch support
- Moisture wicking
- Fast drying

Benefits

- Reduction in fatigue
- Reduction of aches & pains

Notes

If you remove your footbed from the shoe once a week, and allow the shoe to air properly, this helps to control fungal infection and associated complaints.

REBFB-02 PLATINUM FOOTBED

2 - 14



Materials

Extra thick moulded PU, 2mm memory foam pillow top, Poron® heel insert, Velvet mesh upper.

Features

- As for the standard footbed; plus extra comfort
- Poron® insert is used worldwide for general orthopaedic problems

Benefits

- Reduction in fatigue
- Reduction of aches & pains

Notes

If you remove your footbed from the shoe once a week, and allow the shoe to air properly, this helps to control fungal infection and associated complaints.

SOCKSGY-S/L REBEL SOCKS

4 - 12



Details:

Product code: SOCKSGY

Colour: Grey with yellow strip

Sizes: Medium 4-7UK, Large 8-12UK

Features

To compliment the REBEL range of hard working boots and shoes we recommend REBEL socks which provide a comfortable fit, are manufactured from high quality durable fabrics and are suitable for use in high heat environments. REBEL socks are cotton rich and offer the ultimate comfort in socks best suited to work in conjunction with the REBEL range of boots and shoes.

Fabric composition

- 85% cotton
- 10% nylon (for elasticity)
- 5% polyester

ULTIMATE PROTECTION

